



Spartan Chemical Company, Inc.

Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):

XTRACTION II

Product Number: 3096

Spartan Chemical Company, Inc.

1110 Spartan Drive

Maumee OH 43537

Product Division:

Janitorial

Product/Technical **1-(800)-537-8990**

Information:

Medical Emergency: **1-(888)-314-6171 (24 hours)**

Chemical Leak/Spill: **CHEMTREC 1-(800) 424-9300 (24**

Emergency: hours)

| | | | |
|-----------------------|------------------------------------|----------------------------|-------------------------------|
| Shipping Description: | Cleaning compounds, liquid, n.o.s. | | |
| NFPA Ratings: | | HMIS Ratings: | |
| Health: | 2 - Moderate | Health: | *2 - Moderate; Chronic Hazard |
| Fire: | 0 - Minimal | Fire: | 0 - Minimal |
| Reactivity: | 0 - Minimal | Reactivity: | 0 - Minimal |
| | | Pers. Prot. Equip.: | See Section VIII |

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

| Chemical Name(s) | % W | CAS Registry No. | Table Z- 1 - A | | | NTP, IARC or OSHA Carcinogen |
|----------------------------------|-----|------------------|-----------------------|------------------------|---------------------------|------------------------------|
| | | | TWA mg/m ³ | STEL mg/m ³ | CEILING mg/m ³ | |
| Nonyl phenol ethoxylate | 1-5 | 9016-45-9 | Not Established | Not Established | Not Established | No |
| Sodium carbonate | 1-5 | 497-19-8 | Not Established | Not Established | Not Established | No |
| *2-Butoxyethanol | 1-5 | 111-76-2 | 240 [skin] 96 | Not Established | Not Established | No |
| Sodium alkylnaphthalenesulfonate | 1-5 | Proprietary | Not Established | Not Established | Not Established | No |
| Tetrasodium EDTA | 1-5 | 64-02-8 | Not Established | Not Established | Not Established | No |

Comment: *This substance is subject to the reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986 (SARA) and of 40 CFR 372.

▼ **SECTION III: PHYSICAL DATA**

| | | | |
|---|-----------|--|----------------|
| Boiling Point: | 212 °F | Vapor Pressure: | Not determined |
| Vapor Density (AIR = 1): | Unknown | Solubility in Water: | Complete |
| pH: | 11.3-11.8 | Specific Gravity (H ₂ O=1): | 1.049 |
| Evaporation Rate (but.ace.=1): | <1 | Percent Solid by Weight: | 10-15 |
| Physical State: | Liquid | | |
| Appearance & Odor: Light green liquid, floral fragrance | | | |

▼ **SECTION IV: FIRE & EXPLOSIVE HAZARD DATA**

| | | | |
|-----------------------------------|--|------------------|----------|
| Flash Point: | > 212°F | Method Used: | ASTM-D56 |
| Flammable Limits: | Not Established | Flame Extension: | N/A |
| Extinguishing Media: | Product does not support combustion. Use extinguishing media appropriate for surrounding fire. | | |
| Special Fire Fighting Procedures: | Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray. | | |
| Unusual Fire & Explosive Hazards: | Combustion products are toxic. | | |

▼ **SECTION V: HEALTH HAZARD DATA**

| | | | |
|--|--|--------------------------|--------------------------------------|
| Threshold Limit Value: | Not Established | Primary Routes of Entry: | Inhalation, Skin Contact, Eyes; Oral |
| Effects of Overexposure-Conditions to Avoid: | <p>Causes eye irritation: Symptoms may include pain, redness and swelling of the conjunctiva.</p> <p>Causes skin irritation: Symptoms may include pain and redness. Harmful if absorbed through the skin.</p> <p>May be harmful if swallowed: Symptoms may include abdominal pain, nausea and diarrhea.</p> <p>Inhalation of product mist may cause respiratory irritation: Symptoms may include coughing and difficulty breathing.</p> <p>Contains 2-butoxyethanol which may cause central nervous system depression with symptoms such as headache; dizziness; nausea and drowsiness. Exposure to 2-butoxyethanol may cause blood cell; liver and kidney damage based on animal data.</p> <p>Do not get in eyes, on skin, or on clothing. Do not swallow. Avoid breathing product mist.</p> | | |
| Conditions Aggravated by Use: | Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and dermatitis. | | |

Emergency & First Aid Procedures:

| | |
|------------|--|
| Eyes: | Flush eyes with water for at least 15 minutes. Remove contact lenses. Get medical attention. |
| Skin: | Remove contaminated clothing. Flush skin with water for at least 15 minutes. Get medical attention if irritation persists. Wash contaminated clothing before reuse. |
| Ingestion: | Do not induce vomiting unless advised to do so by a doctor or poison control center. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person. |

| | |
|-------------|---|
| Inhalation: | In case of respiratory irritation or dizziness; move person to fresh air. Get medical attention if irritation persists. |
|-------------|---|

▼ **SECTION VI: REACTIVITY DATA**

| | | | |
|-----------------------------------|--------|---------------------------|-------------------------|
| Stability: | Stable | Incompatible Materials: | Strong oxidizing agents |
| Hazardous Decomposition Products: | None | Hazardous Polymerization: | Will Not Occur |

▼ **SECTION VII: SPILL OR LEAK PROCEDURES**

| | |
|--|--|
| Steps to be Taken in Case Material is Released or Spilled: | Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and contain large spills with inert material and transfer liquid to containers for recovery or disposal. |
| Waste Disposal Method: | Assure conformance with federal, state and local regulations. |

▼ **SECTION VIII: SPECIAL PROTECTION INFORMATION**

| | |
|----------------------------------|---|
| Respiratory Protection: | Not normally required when good ventilation is provided. |
| Ventilation: | Provide good general ventilation. Local exhaust ventilation may be necessary for some operations. |
| Protective Gloves(Specify Type): | Impervious rubber or other waterproof gloves are recommended when handling undiluted product. |
| Eye Protection(Specify Type): | Splash goggles are recommended when handling undiluted product. |
| Other Protective Equipment: | See 29 CFR 1910.132-138 for further guidance. |

▼ **SECTION IX: SPECIAL PRECAUTIONS**

| | |
|----------------------------------|--------------------------------|
| Precautions; Handling & Storing: | Keep from freezing. |
| Other Precautions: | Keep out of reach of children. |

© SCC 06/01/2007 Name: Ronald T. Cook Title: Manager, Regulatory Affairs
XTRACTION II Effective 06/01/2007 Supercedes: 07/07/2005
Date:
Ref: 29 CFR 1910.1200 Changes: Update Section II
(OSHA)

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.