



Spartan Chemical Company, Inc.

Material Safety Data Sheet

SECTION I: PRODUCT INFORMATION

Product Name or Number (as it appears on label):
IC-115

Product Division:
Janitorial

Product Number: 2115
Spartan Chemical Company, Inc.

Product/Technical**1-(800)-537-8990**
Information:

1110 Spartan Drive
Maumee OH 43537

Medical Emergency:**1-(888)-314-6171 (24 hours)**
Chemical Leak/Spill**CHEMTREC 1-(800) 424-9300 (24**
Emergency:**hours)**

Shipping Description:	Corrosive liquids, n.o.s., 8, UN 1760, III, (contains potassium hydroxide)		
NFPA Ratings:		HMIS Ratings:	
Health:	3 - Serious	Health:	3 - Serious
Fire:	0 - Minimal	Fire:	0 - Minimal
Reactivity:	0 - Minimal	Reactivity:	0 - Minimal
		Pers. Prot. Equip.:	See Section VIII

SECTION II: HAZARDOUS INGREDIENTS

(Listed when present at 1% or greater, carcinogens at 0.1% or greater) All component chemicals are listed or exempted from listing on the "TSCA Inventory" of chemical substances maintained by the U.S. Environmental Protection Agency.

Chemical Name(s)	% W	CAS Registry No.	Table Z- 1 - A			NTP, IARC or OSHA Carcinogen
			TWA mg/m ³	STEL mg/m ³	CEILING mg/m ³	
Isopropyl alcohol	1-5	67-63-0	980	1225	Not Established	No
Nonyl phenol ethoxylate	1-5	127087-87-0	Not Established	Not Established	Not Established	No
Potassium hydroxide	1-5	1310-58-3	Not Established	Not Established	2 (NIOSH)	No
Lauramine oxide	1-5	1643-20-5	Not Established	Not Established	Not Established	No

SECTION III: PHYSICAL DATA

Boiling Point:	212 °F	Vapor Pressure:	Unknown
Vapor Density (AIR = 1):	Unknown	Solubility in Water:	Complete
pH:	13.0-13.5	Specific Gravity (H ₂ O=1):	1.00
Evaporation Rate (but.ace.=1):	<1	Percent Solid by Weight:	5-10
Physical State:	Liquid		
Appearance & Odor:	Yellow-green liquid, citrus floral odor		

▼ **SECTION IV: FIRE & EXPLOSIVE HAZARD DATA**

Flash Point:	> 212°F	Method Used:	ASTM-D56
Flammable Limits:	Not Established	Flame Extension:	N/A
Extinguishing Media:	Product does not support combustion. Use extinguishing media appropriate for surrounding fire.		
Special Fire Fighting Procedures:	Wear NIOSH approved self-contained breathing apparatus and protective clothing. Cool fire-exposed containers with water spray.		
Unusual Fire & Explosive Hazards:	Combustion products are toxic.		

▼ **SECTION V: HEALTH HAZARD DATA**

Threshold Limit Value:	Not Established	Primary Routes of Entry:	Inhalation, Skin Contact, Eyes & Oral
Effects of Overexposure-Conditions to Avoid:	<p>Causes severe eye irritation: Symptoms may include pain, redness, swelling of the conjunctiva and possible permanent corneal damage.</p> <p>Causes severe skin irritation: Symptoms may include pain, redness and chemical burns. Harmful contact may not cause immediate pain.</p> <p>Harmful if swallowed: Symptoms may include pain, nausea, vomiting and diarrhea.</p> <p>Breathing product vapors or mist may cause respiratory irritation: Symptoms may include nasal discomfort and coughing.</p> <p>Do not get in eyes, on skin or on clothing. Do not breathe product vapors or mist. Do not swallow. Use with adequate ventilation. Wash thoroughly after handling.</p>		
Conditions Aggravated by Use:	Use of this product may aggravate preexisting skin; eye and respiratory disorders including asthma and dermatitis.		

Emergency & First Aid Procedures:

Eyes:	Flush eyes with plenty of water for at least 15 minutes. Remove contact lenses. Get medical attention.
Skin:	Remove contaminated clothing and shoes. Flush skin with water for at least 15 minutes. Get medical attention if irritation persists. Wash contaminated clothing before reuse.
Ingestion:	Do not induce vomiting. Drink one or two glasses of water to dilute product. Get medical attention. Do not give anything by mouth to an unconscious person.
Inhalation:	Move person to fresh air. Get medical attention if irritation persists.

▼ **SECTION VI: REACTIVITY DATA**

Stability:	Stable	Incompatible Materials:	Strong acids and oxidizing agents
Hazardous Decomposition Products:	Carbon dioxide, carbon monoxide	Hazardous Polymerization:	Will Not Occur

▼ **SECTION VII: SPILL OR LEAK PROCEDURES**

Steps to be Taken in Case Material is Released or	Small spills of one gallon or less may be flushed with plenty of water to sanitary sewer system (If permitted by local sewer regulations). Dike and
---	---

Spilled:	contain large spills with inert material and transfer liquid to containers for disposal. Keep spill out of storm sewers and waterways.
Waste Disposal Method:	Dispose of in compliance with all federal, state and local laws and regulations.

SECTION VIII: SPECIAL PROTECTION INFORMATION

Respiratory Protection:	Not normally required when good general ventilation is provided. However if exposure limits are exceeded (see Section II) or if respiratory irritation occurs, the use of a NIOSH approved respirator suitable for the use-conditions and chemicals listed in Section II should be considered.
Ventilation:	Provide good general ventilation. Local exhaust ventilation may be necessary for some operations.
Protective Gloves(Specify Type):	Rubber or other impervious gloves.
Eye Protection(Specify Type):	Splash goggles are recommended to prevent eye contact.
Other Protective Equipment:	See 29 CFR 1910.132-138 for further guidance.

SECTION IX: SPECIAL PRECAUTIONS

Precautions; Handling & Storing:	Do not freeze. Do not store above 120°F.
Other Precautions:	Keep out of reach of children

© SCC 06/30/2005 Name: Ronald T. Cook Title: Manager, Regulatory Affairs
 IC-115 Effective 06/30/2005 Supercedes: 02/11/2005
 Date:
 Ref: 29 CFR 1910.1200 Changes: Update Section IX
 (OSHA)

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained herein. Actual conditions of use and handling are beyond sellers control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State and Local laws and regulations.